
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.09



PRICE LIST

OF THE

Southern California Acclimatizing Association

FEBRUARY, 1914

In addition to the plants listed here we have a good many rare and valuable plants and larger specimens. Since only the name, without description, would convey no meaning to our customers we will shortly issue a separate list of these plants and describe them in detail. This list will be mailed when applied for and to such of our customers as we know to be interested.

We exercise the utmost care in packing, but will not be responsible for plants after they leave our nurseries. Customers ordering plants sent by freight or express, agree to pay the transportation at the point of destination. We accept orders on these conditions only.

Address all orders and remittances to S. C. A. A., 335 State Street, Santa Barbara, California.

For cash with an order amounting to

\$ 10.00 take a discount of 15 per cent.

50.00 take a discount of 20 per cent.

100.00 take a discount of 25 per cent.

Packing charges on express and freight shipments on plants in pots—none;

on plants in cans—each 5 cents.

on plants balled—each 10 cents.

In the quotations in the following list 2 in., 3 in., 4 in., 5 in., refers to the size of the pot out of which plants are taken.

3 to 4, 4 to 5, 5 to 6, refers to size of plant and means 3 to 4 feet, etc.

When can is quoted this means a 5 gallon coal oil can.

PLANTS FOR THE SUB-TROPICAL GARDEN.

Acanthus mollis; 4 in 0.35, root 0.25.

spinosus; 4 in. 0.35, root 0.25.

Agave rigida sisalana; small plants, bare root 0.25. several varieties and sizes; 1.00 to 5.00.

Alsophila australis; 0.75 to 2.50.

Amaryllis Belladonna; per bulb 0.25; per 25, 5.00.

Amomum cardamomum; 5 in. 0.50.

Aralia japonica; 6 in. 0.75; balled, 2 to 3 1.50.

papyrifera; 5 in. 0.50; can, 3 to 4, 1.00. Areca Baueri; balled, 2 to 3, 2.00; 3 to 4, 3.00.

Sapida; balled, 2 to 3, 1.50; 3 to 4, 2.50; 4 to 5, 3.50.

Arundinaria falcata; clumps, 0.50 to 5.00.

Hookeriana; clumps, 0.50 to 5.00. japonica; clumps, 0.50 to 2.50.

Simoni; clumps, 0.50 to 10.00.

Arundo donax variegata; clumps, 0.50 to 2.50.

Asparagus comorensis; large plants balled, 1.00; 3 in., 0.25.

plumosus; large plants balled, 1.00; 5 in. 0.35. Sprengeri; 4 in. 0.25; 5 in. 0.35; hanging baskets 1 50 to 2.50.

scandens deflexus; 5in. 0.50. Aspidistra lurida; 5 in. 0.75; 6 in. 1.25.

Aucuba japonica; can, 2 to 3, 1.50.

Bambusa vulgaris; clumps, 2.50 to 10.00.

Arundinaria Vietchi; clumps, 0 50 to 1.00.

Bauhinia grandiflora; 5 in. 1.09; can 3 to 4, 2.00.

S. C. A. A. PRICE LIST.

purpurea; can, 3 ft. 1.50. Bocconia frutescens; 5 in. 0.50. Caladium esculentum; bulb, 0.25; per 25, 5.00. Cantua buxifolia; 3 in. 0.35; 5 in. 0.50; can, 1.25. Carica quercifolia: 5 in. 0.50. Chamaerops excelsa; balled, 2 to 3, 1.00; 3 to 4, 1.50; 4 to 5, 3.00. humilis; balled, 2 ft. 3.00; 3 ft. 5.00; 4 ft. 10.00. Cocos eriospatha; balled, 1 to 2, 1.50; 2 to 3, 2.50; 3 to 4, 4.00; 4 to 5, 6.00. plumosa; balled, 1.00 per foot up to 6 feet; 7 ft. 8.00; 8 ft. 10.00; 9 ft. 12.50; 10 ft. 15.00. Our stock of Cocos is all full-sun, field-grown; very hardy, stocky plants, worth double the price of the usual lathhouse grown stuff. Cortaderia argentea; clumps, 0.50 to 5.00. Cyperus alternifolius; clumps, 0.25. gracillimus; clumps, 0.25. papyrus; clumps, 0.25 to 1.00. Cyphomandra betacea; 6 in. 0.75. Dasylirion quadrangulatum; balled, 1 to 2, 1.25. Datura suaveolens: 6 in 0.75. Dendrocalamus latiflorus; per shoot, 1.00; small clump, 2.50; can, 2.50. Dendrocalamus strictus; good sized clumps, 5.00. Dracaena australis; balled, 2 to 3, 0.75; 3 to 4, 1.00; 4 to 5, 1.25; 5 to 6, 1.75. indivisa—prices as for australis. draco; balled, 1 ft. 1.00. Eriobotrya japonica seedlings; balled, 1 to 2, 0.50. Erythea armata; balled, 1 to 2, 0.75. Eugenia jambos; 5 in. 0.50. Euphorbia pulcherrima; 3 in. 0.25; can, 1.50; large bare root in March, 1.00. Ficus from Cabul; 6 in. 1.00. Fuchsia corymbiflora; can, 1.00. fulgens; 5 in. 0.50. Gynerium argentenum; clumps, 0.50 to 5.00. Hedychium carneum; 5 in. 0.50; can, 1:50. coronarium; can, 1.50. Jacobinea magnifica; 4 in. 0.35; can, 2 to 3, 1.25. Kentia Belmoreana; pot, 18 in, 0.75; 24 in. 1.25; 30 in. 1.75. Fosteriana; pot, 18 in. 0.50; 24 in. 1.00; 30 in. 1.50. Kniphofia aloides; clumps, 0.25, 0.75. Latania borbonica; balled, 2 ft. 2.00. Livistona australis; balled, 3 to 4 bushy, 4.00. Melianthus major; can, 1.00. Muhlenbeckia platyclados; 4 in. 0.25; can, 0.75. Panicum excurrens; 4 in. 0.25; clump, 0.50. Papyrus antiquorum; clump, 0.25 to 1.00.

Paratropia Steltzneriana; 5 in. 075. Phoenix canariensis; balled, 2 ft. 0.75; 3 ft. 100; 4 ft. 1.50; 5 ft. 2.50; 6 ft. 3.00; 7 ft. 4.00. reclinata; balled, 4 ft. 2.00; 5 ft. 3.00. Roebelini; 4 in. 1.00. Phormium tenax; clump, 0.50 to 5.00. variegata; clump, 0.50 to 5.00. Phyllostachys aurea; in clumps, 50c up, 10c per cane. viridi-glaucescens, ditto. Seaforthea elegans; balled. 2 ft. 0.75; 3 ft. 1.25; 4 ft. 1.75; 5 ft. 2.25; 6 ft. 3.00; 7 ft. 4.00; 8 ft. 5.00; all full-sun, field grown, hardier than others. Tritoma uvaria, clumps, 0.25 to 0.75. Yucca guatemalense; can. 3 ft. 1.50. TREES. Acacia Baileyana; 5 in. 0.50; can 5 to 6, 1.50. decurrens; 4 in. 0.35; can, 5 to 6, 1.25. Dietrichiana; can, 4 to 5, 1.25. floribunda; 5 in. 0.50; can, 4 to 5, 125. latifolia; 3 in. 0.25; 5 in. 0.50; can, 5 to 6, 1 25. melanoxylon; can, 5 to 6, 1.25. pravissima; 3 in. 0.35; 5 in. 0.75. pycnantha; 5 in. 0.50; can, 5 to 6, 1.25. verticillata; 4 in. 035; 5 in. 0.50; can, 3 to 4, 1.25. Anona cherimelia; 4 in. 0.35. Araucaria Bidwelli; box, 4 ft. 6.00; 5 ft. 9.00; 6 ft. 12.00. excelsa; box, 8 to 12 ft. 1.25 per foot; balled 4 to 12 ft. 1.00 per ft. Agathis orientalis; 5 in. 1.00. Bauhinia grandiflora; 5 in. 1.00;; can, 3 to 4, 200. Brachychiton acerifolia; 5 in. 0.50; can, 2 to 3, 1.25. Caesalpina echinata; can, 4 to 5, 1.25. Camphora officinalis; 5 in. 0.50; can, 4 to 5, 1.25; balled 4 to 5, 1.00. Casimiroa edulis; 5 in. 0.50; can, 2 to 3, 1.25. Casuarina quadrivalvis; 5 in. 0.50; can, 5 to 6, 1.25. stricta; 5 in. 0.50; can, 5 to 6, 1.25. Cedrus deodara; pct, 2 ft. 0.75; boxed, 1.00 per ft.; balled, 2 to 3, 1.50; 3 to 4, 2.50; 4 to 5, 3.00. Ceratonia siliqua; 5 in. 0.50; can, 3 ft. 150. Corynocarpus laevigatus; 5 in. 0.50; can, 2 ft. 1.25. Cryptomeria japonica; can, 4 to 5, 1.25. Cupania anacardioides; 5 in. 0.75. Cupressus arizonica; balled, 2 to 3, 0.75. fastigiata; balled, 2 to 3, 0.50; 3 to 4, 0.75; 4 to 5, 1.00; 7 to 8, 2.00.

guadelupensis; can, 3 to 4, 1.25; balled, 4 to 5, 1.50.

funebris; balled, 3 to 4 bushy, 2.00.

Dombeya natalensis; 6 in. 0.75. Eucalyptus citriodora; 5 in. 0.75. cornuta; 5 in. 0.50. Lehmanni; 4 in. 0.25. erythronema; can, 2 to 3, 3.00. ficifolia; 5 in. 0.50. Eugenia myrtifolia; 3 in. 0.25; 5 in. 0.50; 6 in. 0.75; can, 2 to 3, 1.25; 3 to 4, 1.50, from tubs, 4 to 6 ft, price 4.00 to 10.00. Ficus retusa; 5 in. 0.50. Hakea suaveolens; 3 in, 0.25; 5 in, 0.50. laurina; 3 in. 0.25; 5 in. 0.50. Hymenosporum flavum; 5 in. 0.50; can, 5 to 6, 1.50. Idesia polycarpa; bare root 5 ft. 1.00. Jacaranda ovalifolia; 5 in. 0.50; can, 5 to 6, 1.25. Koelreuteria paniculata; balled, 2 to 3, 1.00. Laburnum vulgare; can, 2 to 3, 1.00. Lagunaria Pattersoni; 5 in. 0.50; can, 4 ft. 1.25. Ligustrum lucidum; 5 in. 0.50; balled, 2 to 3, 0.75. Magnolia grandiflora; 5 in, 0.50; can, 5 to 6, 150; balled, 4 to 5, 1.25. Melaleuca leucadendron; can, 3 to 4, 2.00. Myoporum acuminatum; 5 in. 0.50. Persea indica; large plants 5 to 6 bushy, balled, 2.50. Pinus insignis; balled, 3 to 4, 0.75; 4 to 5, 1.00; 5 to 6, 1.25. Torreyana; balled, 3 to 4, 1.50. Pistacia sinensis; bare root, 4 to 6 1.00. Pittosporum eugenoides; balled, 3 to 4, 1.25; 4 to 5, 150. rhombifolium; 5 in. 0.50; balled, 4 to 5, 125. undulatum; balled, 2 to 3, 1.00; 3 to 4,1.25; 4 to 5, 3.00. Prunus occidentalis; 3 in. 0.25; 5 in. 0.50; can. 1.25. Quercus agrifolia; can, 2 to 3, 1.25. Schinus molle; 3 in. 0.25; 5 in. 0.50; can, 3 to 4, 1.00. therebinthifolius; can, 3 to 4, 1.25. Schotia brachypetala; 5 in. 0.75. Sequoia gigantea; balled, 1 to 2, 0.75. sempervirens; balled, 3 to 4, 1.00; can, 3 to 4, 1.25: Sephora tetraptera; can, 2 to 3, 2.00. Sterculia acerifolia; 5 in. 0.50; can, 3 to 4, 1.25. Bidwelli; can, 5 to 6, 1.25. diversifolia; 5 in. 0.35; can, 5 to 6, 1.00. Gregori; 6 in. 1.00.

SHRUBS.

Taxodium mucronatum; 5 in. 0.75; can, 3 to 4, 1.50.

Umbellularia californica; 6 in. 0.75.

Tristania conferta; 3 in. 0.25; 5 in. 0.50; can, 5 to 6, 1.25.

Abelia grandiflora; 4 in. 0.35; 5 in. 0.50; can, 2 to 3, 1.25; balled, 2 to 3, 1.00.

Aberia caffra; 4 in. 0.35; 6 in. 0.75.

```
Abutilon megapotamicum; 5 in. 0.50.
Acacia acinacia; 3 in. 0.50; can, 2 to 3, 2.00.
         cultriformis; 5 in. 0.50.
         extensa; can, 3 to 4, 1.50.
          farnesiana; 3 in. 0.25.
         obliqua; 3 in. 0.50; 5 in. 0.75; can, 2.00.
         pravissima; 3 in. 0.35; 4 in. 0.50; 5 in. 0.75.
         verticillata; 4 in. 0.35; 5 in. 0.50; can. 3 to 4, 1.50.
Achania malvaviscum; 4 in. 0.35.
Acokanthera spectabilia; 6 in. 0.75; balled, 2 to 3, 2.00.
Atriplex Breweri; 2 in. 0.10; 8.00 per 100.
Berberis Darwini; 5 in. 0.50; 6 in. 0.75.
         ilicifolia; can, 2 to 3, 1.25.
Budleia globosa; can, 2 to 3, 1.25; balled, 2 to 3, 1.00.
Calothamnus quadrifidus; 3 in. 0.50.
Cantua buxifolia; can, 2 to 3, 1.50; balled, 1 to 2, 1.00.
Carissa grandiflora; 3 in. 0 25; 4 in. 0.35; 5 in. 0.50; 6 in. 0.75
         edulis; 6 in. 1.00; balled, 3 to 4, 2.50.
Carpinteria californica; 4 in. 0.50; 5 in. 0.75; 6 in. 1.00; can.
            3 to 4, 2.00.
Cassia artemisioides; 5 in. 0.50.
         pilifera; 5 in. 0.35.
Coanothus arboreus; can, 4 to 5, 1.50.
         cuneatus; 2 in. 0.25; 5 in. 0.50.
         thyrsiflorus; 2 in. 0.25.
Cestrum aurantiacum; 5 in. 0.50; can, 3 to 4, 1.25.
elegans; 5 in. 0.50; can,2 to 3, 1.25.
Choisya ternata; 3 in. 0.25; 4 in. 0.35; 5 in. 0.50; can, 1 to 2,
            bushy, 1.25.
Cistus crispus; 3 in. 0.25.
         salvifolius; 3 in. 0.25; 5 in. 0.35.
         ladaniferus; 3 in. 0.25; 5 in. 0 50.
Citharexylon ilicifolium; 5 in. 0.50; can, 2 to 3, 1.25.
Comarostaphylos diversifolia; can, 1.50.
Coprosma Baueri; 3 in. 0.25; 4 in. 0.35; 5 in. 0.50; can, 2 to 3, 125;
            balled, 2 to 3, 1.00.
Coronilla emerioides; 4 in. 0.35; can, 1 to 2, 1.25.
Corynocarpus laevigatus; 3 in. 0.25; 5 in. 050; can, 2 to 3, 1.25.
Cotoneaster horizontalis; 5 in. 0.50.
Crataegus pyracantha; 4 in. 0. 35; can, 2 to 3, 1.25; balled 1 to 2, 1.00.
Cryptomeria elegans; balled, 2 to 3, 12.00.
         japonica; can, 4 to 5, 1.25.
Diosma ericioides; 4 in. 035; 5 in. 0.50; can 2 ft. 1.25; balled, 1.00.
Dodonaea viscosa; can, 2 to 3, 1.25.
*cuneata; 4 in. 0.75.

Duranta plumieri; 2 in. 0.25; 3 in. 0.35; 5 in. 0.50; can 2 ft. bushy, 1.00.
         alba; 3 in. 0.25.
         variegata; 5 in. 0.50; 6 in. 0.75.
```

Erica mediterranea; 3 in. 0.25; 5 in. 0.50; 6 in. 0. 75. Escallonia organensis; 3 in. 0.25; 4 in. 0.35; can, 1 to 2, 1.25.

rubra; 4 in. 0.35; can, 1 to 2, 1.25.

```
virgata; 4 in. 0.35; 5 in. 0.50; can, 2 to 3, 1.25.
Eugenia jambos: 5 in. 0.50.
         Micheli; can, 2 to 3, 1.25.
         myrtifolia; 3 in. 0.25; 5 in. 0.50; can. 2 to 3. 1.25.
Euonymus argentea variegata; can, 2 to 3, 1.25.
         aurea variegata; can, 2 to 3, 1.25.
         japonicus; balled, 1 to 2, 0.75.
Euphorbia pulcherrima; 3 in. 0.25; 4 in. 0.35; 5 in. 0.50.
Fabiana imbricata; 3 in. 0.25; 4 in. 0.35; can, 2 to 3, 125.
Feijoa Sellowiana; 5 in. 0.50; 6 in. 0.75; can, 2 to 3, 1.25.
Fuchsia arborescens; 3 in. 0.25; 5 in. 0.50.
         corymbiflora; can, 2 to 3, 1.25.
         ricartoni; 3 in. 0.25; 5 in. 0.50; can, 2 to 3, 1.00.
         fulgens; 5 in. 0.50.
Gnaphalium lanatum; 2 in. 0.10.
Grevillea thelemanni; 3 in. 0.25; 5 in. 0.50; can, 2 to 3, 1.25.
Hakea laurina: 5 in. 0.50
         suaveolens; 3 in. 0.25; 5 in. 0.50.
Hardenbergia white; 3 in. 0.25.
         pink; 3 in. 025; can, 2 to 3, 1.25.
Heteromeles arbutifolia; 3 in. 0.35; 4 in. 0.50; 5 in. 0.75.
Hibiscus Peachblow; 3 in. 0.25; 5 in. 0.50; can, 2 to 3, 1.25.
         rosa-sinensis; 3 in. 0 25; can, 2 to 3, 1.25.
         double red; 3 in. 0.25.
Hydrangea Otaska; 3 in. 0.25; 5 in. 0.50; can, 1.25; balled, 1.00.
Hypericum floribundum; balled, 3 to 4, 1.00.
         canariense; 2 to 3, balled, 1.00.
         moserianum; 3 in. 0.25; clump, 0.75.
Iochroma fuchsioides; 3 in. 0.25; can, 2 to 3, 1.25.
         lanceolata; 3 in. 0.25; 4 in. 0.35; 5 in. 0.50.
Jasminum primulinum; 3 in. 0.25; 5 in. 0.50; can, 3 to 4, 1.25.
         humile; 5 in. 0.50; can, 3 to 4, 1.25.
Lagerstroemia indica; can, 4 to 5, 1.00.
Lantana orange; 3 in. 0.25.
         orange dwarf 3in. 0.15.
         yellow dwarf; 3 in. 0.15.
         white dwarf; 3 in. 0.15.
         Sellowiana; can, 2 to 3, 1.00.
Laurus cerasus; 3 in. 0.25; can, 2 to 3, 1.50; balled, 2 to 3, 1.25.
         nobilis; can, 3 to 4, 1.25.
         tinus; 3 in. 0.25; 4 in. 0.35; 5 in. 0.50.
         rotundifolius; 3 in. 0.25.
Leopotus leonurus; 4 in. 0.35.
Leptospermum laevigatum; 3 in. 0.25; 4 in. 0.35; 5 in. 0.50; can,
            3 to 4, 1.25.
```

```
Libonia floribunda; 3 in. 025; balled, 1 to 2, 0.75.
Ligustrum vulgare aurea var. from field, 2 to 3, 0.50.
         ciliatum; balled, 1 to 2, 0.75.
         lucidum; balled, 1 to 2, 0.50; 3 in, 0.25.
Lippia citriodora; 5 in. 0.35.
Mackaya bella; 6 in. 0.75.
Malvaviscus arboreus; 4 in. 0.35.
Magnolia fuscata; can, 2 to 3, 1.50.
Melaleuca alba; 4 in. 0.35; 5 in. 0.50; can, 2 to 3, 1.25.
         decussata; 3 in. 0.25; 5 in. 0.50; can, 2 to 3, 1 25.
         hypericifolia; 4 in. 0.35; 5 in. 0.50; can, 3 to 4, 1.25.
         Wilsoni; can, 2 to 3, 1.25.
Metrosideros robusta; can, 3 to 4, 1.50.
Mimosa spegazini; can, 3 to 4, 1.50.
Myrtus communis; can, 2 to 3, 1.25; balled, 1.00.
         microphylla nana; 3 in. 0.10; balled, 2 to 3, 1.25.
Nerium oleander pink; can, 3 to 4, 1.25.
         White; can, 3 to 4, 1.25.
Olea chrysophylla; balled, 1 to 2, 0.75.
Parkinsonea aculeata; 3 in. 0.25.
Pavonia spinifex; can, 1 to 2, 1.00.
Pittosporum eugenoides; can, 2 to 3, 1.25; balled, 2 to 3,, 1.00.
         heterophyllum; can, 2 to 3, 1.50.
         rhombifolium; balled, 3 to 4, 1.25; 4 to 5. 1.50; 5 to 6, 2.00. tenuifolium; 6 in. 0.75; can, 2 to 3, 1.25.
         tobira; 3 in. 0.25; 4 in. 0.35; 5 in. 0.50; can, 2 to 3, 1.25.
         variegata; 3 in. 0.25; 4 in. 0.35; can, 2 to 3, 1.50.
         undulatum; balled, 1 to 2, 0.75; 2 to 3, 1.00; 3 to 4,
            1.25; 4 to 5, 3.00.
         viridiflorum; can, 3 to 4, 1.50.
         revolutum; can, 2 to 3, 1.50.
Plumbago capensis; 3 in. 0.25; 5 in. 050; can, 2 to 3, 1.25.
         alba; 3 in. 0.25; 5 in 0.50: can, 2 to 3, 1.25.
Polygala myrtifolia; can, 2 to 3, 1.25.
Prunus ilicifolium; 4 in. 0.35; 5 in. 0.50; can, 3 to 4, 1.25.
         laurocerasus; 3 in. 0.25; can, 2 to 3, 150; balled, 2 to 3, 1.25.
         occidentalis; 4 in 0.35; can, 2 to 3, 1.25.
Psidium araca; can, 2 to 3, 1.25.
         cattleyanum; 3 in. 0.25; 4 in 0.35; can, 2 to 3, 1.25.
         lucidum; 3 in. 025; can, 2 to 3, 1.25.
Punica granatum alba; from field, 3 to 4, 0.35.
Raphiolepis japonica;
                         3 in 0.25; can, 2
                                                   to
                                                       3,
                                                           1.25;
                                                                   balled.
            2 to 3, 1.00.
Rhus integrifolia; 3 in. 0.25; 4 in. 0.35; 5 in. 0.50.
Rhus ovata; can, 2 to 3, 1.50.
Romneya Coulteri; 4 in. 0.75; box, 2 to 3, 1.50.
Senecio petasites; 5 in. 0.50; can, 2 to 3, 1.25.
Solanum Rantonetti; 3 in. 0.25; 4 in. 0.35; 5 in. 0.50; can, 2 to 3, 1.25.
```

Solya heterophylla; 3 in. 0.25; can, 2 to 3, 1.25. Sparmannia africana; 3 in. 0.25; 5 in. 0.50; can, 3 to 4, 1.25. Spartium junceum; 3 in. 0.25; 5 in. 0.50; can. 3 to 4, 1.00. Sphaeralcea vitifolia; 6 in. 0.50; can, 4 to 5, 1.25. Streptosolen jamesoni; 3 in. 0.25; 5 in. 0.50; can, 1.25. Tamarix plumosa; from field, 0.35. Tecoma Smithi; 4 in. 0:35; 5 in. 0.50. Teucrium fruticans; 4 in. 0.35; can. 1 to 2, 1.25. Veronica decussata; 3 in. 0.25; balled, 2 to 3, 1.00. imperialis; 3 in. 0.25; balled, 2 to 3, 1.00. speciosa; 3 in. 0.25; balled, 2 to 3, 1.00; can, 2 to 3, 1.25. CLIMBING AND CREEPING PLANTS. Ampelopsis Veitchi; 3 in. 0.25. Asparagus comorensis; 3 in. 0.25; balled, large, 1.00. plumosus; 4 in. 0.35; balled, large, 1.00. scandens deflexus; 5 in. 0.50. sprengeri; 3 in. 0.25; 5 in. 0.35; hanging baskets, 1.50 to 2.50. Bignonia cherere; 5 in. 0.75. speciosa; 3 in. 0.25; 5 in. 0.50. tweediana; 3 in. 0.25; 5 in. 0.50. Venusta; 3 in. 0.25; 4 in. 0.35; 5 in. 0.50. Bougainvillea braziliensis; 5 in. 0.50; 6 in. 0.75; can. 2.00. lateritia; 4 in. 2.50; 5 in. 5.00. Capparis spinosa; 3 in. 0.50. Cardiospermum hirsutum; 4 in. 0.25. Cissus antartica; 4 in. 0.50; can, 2.00. rhombifolius; 3 in. 0.35; hanging baskets, 1.50 to 5.00. Clematis paniculata; 4 in. 0.35. Convolvulus mauretanicus; 2 in. 0.15; 4 in. 0.25. Euphorbia splendens; 4 in. 0.35. Ficus repens; 4 in. 0.25. Geranium Pink Ivy; 2 in. 0.10. Gnaphalium lanatum; 2 in. 0.10. Hedera helix; 3 in. 0.10; rooted cuttings, 0.05. Hoya carnosa; can, 3 to 4, 1.50. Jasminum azoricum; 5 in. 0.50; can, 2 to 3, 1.25. gracillimum; 6 in. 0.75. grandiflorum; 4 in. 0.35. ligustrifolium; 5 in. 0.50; 6 in. 0.75; can, 3 to 4, 1.25. primulinum; 3 in. 0.25; 5 in. 0.50. Kennedya ovata rosea; can, 2 to 3, 1.25. Lantana Sellowiana; can, 2 to 3, 1.00. Lathyrus latifolius, balled, 0.75. Lippia repens; bare root, 1.00 per sackful. Lonicera halleana; 3 in. 0.25; 4 in. 0.35; 5 in. 0.40; can, 2 to 3, 1.00; balled, 0.75. pink; 3 in. 0.25.

Mandevillea suaveclens; 4 in. 0.25; 5 in. 0.35. Muhlenbeckia complexa; 3 in. 0.25. Passiflora manicata; 3 in. 0.25. Philadelphus sempervirens; can, 3 to 4, 1.25. Pithecoctenium buccinatorium: 5 in. 0.75. clematidinum; 5 in. 0.50. cynanchoides; 5 in. 0.50. muricatum; 3 in. 0.25. Rosa Gigantea; 3 in. 0.75; 5 in. 1.00. laevigata "Cherokee;" 3 in. 0.15; can, 3 to 4, 0.75. pink "Cherokee;" can, 4 to 5, 1.00. red "Cherokee;" balled, 0.50. moschata; 3 in. 0.35; can, 4 to 5, 1.00; balled, 0.75. Rynchosia minima; 3 in. 0.25. Schubertia grandiflora; 5 in. 0.50; can, 5 to 6, 1.25. Serjania fuscifolia; can, 4 to 5, 1.50. Solanum Wendlandi; 5 in. 0.50. Solanum jasminoides; 4 in. 0.35. Solya heterophylla; 5 in. 0.50; can, 2 to 3, 1.25. Tasconia mollissima; 5 in. 0.50. Tecoma australis; 3 in. 0.25; 5 in. 0.50; can, 2 to 3, 1.25. Tecoma capensis; 5 in. 0.50. Tecoma jasminoides alba; 3 in. 0.35; 5 in. 0.50. Tecoma jasminoides; 3 in. 025; 5 in. 0.50; can, 3 to 4, 1.25. Tecoma ricasoliana; 4 in. 0.25; 5 in. 0.50; can, 2 to 3, 1.00. Vitis capensis; 3 in. 0.35; 4 in. 0.50; 5 in. 0.75; can, 1.50.

TREES AND SHRUBS WITH EDIBLE FRUITS.

Aberia caffra; 4 in. 0.35; 6 in. 0.75. Anona cherimolia; 4 in. 0.35; 5 in. 0.50. Carica quercifolia; 5 in. 0.50. Carissa grandiflora; 3 in. 0.25; 4 in 0.35; 5 in. 0.50; 6 in. 0.75. Carissa edulis; 6 in. 1.00; balled, 3 to 4, 200. Casimiroa edulis; 5 in. 0.50; can, 2 to 3, 1.25. Ceratonia siliqua; 3 in. 0.25; can, 2 to 3, 1.25. Cocos eriospatha; balled, 1 to 2, 1.50. Cupania anacardioides; 5 in. 0.75. Cyphomandra betacea; 6 in 0.75. Diospyros kaki; bare root, 0.50. Eriobotrya budded; can or balled, 2.50. Eugenia jambos; 5 in. 0.50. Eugenia Micheli; can, 2 to 3, 1.25. Eugenia myrtifolia; 3 in. 0.25; 5 in. 0.50; can, 2 to 3, 1.25. Feijoa Sellowiana; 5 in. 0.50; can, 2 to 3, 1.25. Ficus from Cabul; 6 in. 1.00. Ficus pseudocarica; 6 in. 0.75. Grape fruit; can or balled, 2.00. Lemon "Eureka;" can or balled, 1.75.

Lime "Mexican;" can or balled, 1.75.

Macadamia ternifolia; 5 in. 0.75.

Mandarin "Willowleaf;" can or balled, 2.00.

Orange, Navel and Valencia; can or balled, 2.00.

Persea gratissima; budded— pot, 3.50; can, 5.00.

Psidium araca; can, 2 to 3, 1.25.

Psidium cattleyanum; 3 in. 0.25; 4 in. 0.35; can, 1.25.

Psidium lucidum; 3 in. 0.25; can, 2 to 3, 1.25.

Punica granatum; can, 3 to 4, 0.75.

Sechium edule; per seed, 0.25.

Solanum guatemalense; 6 in. 1.00.

Apple. Pear, Plum, Prune, Cherry, Fig, Nectarine, Apricot, etc., 0.35 eh.

All other fruit trees and vines at usual nursery rates.

MISCELLANEOUS PLANTS FOR BEDS AND BORDERS.

Agapanthus umbellatus; from field, 0 25 to 0.50. Brachycome iberidifolia; 2 in. 0.10. Buxus sempervirens; in flats, 0.05. Calceolaria integrifolia; 5 in. 0.50; can, 1 to 2, 0.75. Campanula; from field, 0.10. Carnation; 2 in. 0.10. Centaurea cineraria; 3 in. 0.25. Cerastium tomentosum; flat, 1.00. Chaenostoma hispidum; 2 in. 0.10. Cuphea micropetala; 2 in. 0.10; 4 in. 0.25. Cyrtomium falcatum; 4 in. 0.50. Delphinium; from field, 0.05. Festuca glauca; from field, 0 05. Gazania splendens; 2 in. 0.10. Geranium "John Forbes" scarlet; 3 in. 0.10. Geranium "Mad. Salleroi;" 2 in. 0.05. Geranium "Pink Ivy;" 0.05. Gypsophila paniculata; from field, 0.10. Hedera helix; 3 in. 0.10; rooted cuttings, 0.05. Herbertia platensis; from field, 0.25. Isolepis gracilis; clump, 0.25. Iris German blue; from field, 0.05. Iris German white: from field, 0.25. Iris siberica; from field, 0.25. Iris Peacock; from field, 0.25. Iris ochroleuca; from field, 0.25. Jacobinia pauciflora; 3 in. 0.25; balled, 0.50. Jacobinia carnea; 4 in. 0.35. Linum flavum; 5 in, 0.50. Marguerite white; 3 in, 0.10. Marguerite Mrs. Saunders; 3 in. 0.10. Marguerite yellow; 3 in. 0.10.

S. C. A. A. PRICE LIST.

Moraea iridioides; from field, 0.25. Pelargonium mixed; 3 in. 0.10. Pentstemon mixed; 3 in. 0.10.

Plumbago larpentae; from field, 0.05.

Rosmarinus officinalis; 5 in. 0.50.

Statice macrophylla; 2 in. 0.15; 3 in. 0.25; 4 in. 0.35.

LANDSCAPE GARDENING.

With the object of extending the care that has been given the plants in their earlier stages of growth, also to their future development and proper placing in the landscape, we design and plant gardens, and while the efforts in this direction have so far been largely confined to Santa Barbara and vicinity, the results have proven satisfactory to such a degree as to prove the services of this department acceptable also in a larger field. Consultation by mail or in person with prospective clients anywhere in California has been made possible, and literature on the subject is sent upon request.